

DETAILED ACTION
EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Francesco Sardone on 7/12/10.

The application has been amended as follows:

Claim 23 is cancelled.

Claims 1-22 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art fails to teach or suggest an instrument introducer assembly and method defined by the combination of elements as recited in independent claims 1, 15, 21 and 22, including an instrument introducer having a pocket with an annular wall with a substantially planar distal end wall having an aperture therein. Turkel (US 5792074) and Yoon (US 5752970) both fail to teach a substantially planar distal end wall.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to VICTORIA W. CHEN whose telephone number is (571)272-3356. The examiner can normally be reached on M-F 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Victoria W Chen/
Examiner, Art Unit 3739

/John P Leubecker/
Primary Examiner, AU 3739